

T. 32

# INDEX MAPS.

T. 32 N. R. 5 W. 2<sup>nd</sup> Mer.

	172		172		171		171		171		171	
174	6	201	5	195	4	190	3	185	2	180	1	170
	<del>201</del>		<del>200</del>		<del>194</del>		<del>190</del>		<del>184</del>		<del>180</del>	
174	7	200	8	194	9	189	10	184	11	179	12	170
	<del>199</del>		<del>199</del>		<del>193</del>		<del>188</del>		<del>184</del>		<del>179</del>	
173	18	199	17	193	16	187	15	183	14	178	13	170
	<del>198</del>		<del>198</del>		<del>193</del>		<del>187</del>		<del>183</del>		<del>177</del>	
173	19	198	20	192	21	187	22	182	23	177	24	169
	<del>197</del>		<del>197</del>		<del>192</del>		<del>186</del>		<del>182</del>		<del>176</del>	
173	30	196	29	191	28	186	27	182	26	176	25	169
	<del>196</del>		<del>196</del>		<del>191</del>		<del>185</del>		<del>181</del>		<del>175</del>	
173	31	195	32	190	33	185	34	181	35	175	36	169
	<del>168</del>		<del>168</del>		<del>168</del>		<del>167</del>		<del>167</del>		<del>167</del>	

Meanders - 202

T. 33 N. R. 5 W. 2<sup>nd</sup> Mer.

	219	219	219	218	218	218						
221	6	239	5	234	4	231	3	228	2	225	1	217
	<del>238</del>	<del>238</del>	<del>234</del>	<del>230</del>	<del>227</del>	<del>224</del>						
221	7	238	8	233	9	230	10	227	11	224	12	217
	<del>237</del>	<del>237</del>	<del>233</del>	<del>229</del>	<del>227</del>	<del>224</del>						
220	18	237	17	233	16	229	15	226	14	224	13	217
	<del>236</del>	<del>236</del>	<del>232</del>	<del>229</del>	<del>226</del>	<del>223</del>						
220	19	236	20	232	21	229	22	226	23	223	24	217
	<del>235, 240</del>	<del>235</del>	<del>232</del>	<del>228</del>	<del>226</del>	<del>222</del>						
220	30	235	29	231	28	228	27	225	26	222	25	216
	<del>235</del>	<del>234</del>	<del>231</del>	<del>228</del>	<del>225</del>	<del>222</del>						
220	31	234	32	231	33	228	34	225	35	221	36	216
	<del>216</del>	<del>216</del>	<del>215</del>	<del>215</del>	<del>215</del>	<del>215</del>						

The figures on the lines refer to the page.

<sup>4</sup>  
Township 33 North, Range 5 West, 2<sup>nd</sup>. New Ind.

C. S.

South Boundary.

Var. 5°30'E,

West On S. side of Sec. 36  
 35.00 Leave dry & enter wet prairie  
 40.00 Set q<sup>r</sup>. sec. post from which  
 no bearings - in water. raise <sup>no</sup> mound.  
 80.00 Set post cor. sec. 35 & 36 from which  
 a W. Oak 4 in. dia. bears N  $\frac{1}{2}$  W 18.25 th. dist,  
 no other bearing  
 Dry prairie 2<sup>nd</sup> rate - Wet poor -

West On South side of Sec. 35  
 40.00 Set q<sup>r</sup>. sec. post from which  
 no bearings. & water too deep for a mound  
 80.00 Set post cor. sec. 34 & 35, in water  
 too deep for a mound. no bearings  
 Land poor wet prairie,

West On S. side of Sec. 34  
 40.00 Set q<sup>r</sup>. sec. post, in water, too deep  
 to raise a mound. no bearings  
 80.00 Set post cor. sec. 33 & 34, no do,  
 water too deep to raise a mound  
 Land same as before

West On S. side Sec. 33,  
 40.00 Set q<sup>r</sup>. sec. post from which  
 a W. Oak 12 in. dia. bears N 68 E 74.9 th. dist,  
 La Do. 6 " " " N 63 E 72.9 " "  
 80.00 Set post cor. sec. 32 & 33 from which  
 a Willow 4 in. dia. bears N 67 W 24.2 th. dist,  
 & an Aspen 4 " " " West 425 " "  
 Land poor wet prairie interspersed  
 with a few small groves of Oak  
 Md. Lth. willow in places,

<sup>W</sup>  
T. 33 N. R. 5 W. 2<sup>nd</sup>. Mev. Ind.<sup>a</sup>

Met On S. side of Sec. 32  
40.00 Set gr. sec. post from which  
a Willow 3 in. dia. bears N 47 E 80 th. dist,  
Va Do. 3 " " " S 55 E 112 " "  
80.00 Set post cor. Sec. 31 & 32 from which  
a Willow 4 in. dia. bears S 68 3/4 E 520 th. dist  
no other.  
Land &c. much same as before

Met On S. side of Sec. 31  
35.00 Leave prairie & enter willow swamp  
40.00 Set gr. sec. post from which  
a W. Ash 4 in. dia. bears N 4 W 13 th. dist,  
Va Do. 10 " " " N 57 W 23 " "  
65.00 Leave swamp & enter timbered land  
78.74 To W. boundary 320 th. N. of temp.  
town cor. post. & Set post cor. to Towns  
32 & 33 N. Range 576 W. & for meander  
post on Right bank of Kankakee river,  
an Elm 8 in. dia. bears N 69 E 15 th. dist.  
Va Maple 12 " " " S 58 W 19 " "  
Land level poor, timber Ash Elm Maple  
& Willow, January 6<sup>th</sup> 1834  
Surveyed by - Sylvester Sibley. D. S.

East Boundary.

Var. 6° 25' E,

North On E. side of Sec. 36  
10.00 Leave dry & enter wet prairie  
40.00 Set gr. sec. post. in Do,  
Too wet to raise mound  
80.00 Set post cor. Sec. 25 & 36 in prairie  
Too wet to raise a mound  
Land level & poor & no timber,

North On E. side of Sec. 25

217

T. 33 N. R. 5 W. 2<sup>nd</sup> Mer. Ind.<sup>a</sup>

- 40.00 Set gr. sec. post in wet prairie  
Too wet to raise a mound
- 80.00 Set post cor. sec. 24 & 25 in prairie  
a G. Oak 14 in dia. bears S 122° E 673 - Di. 18 M 6° E 671 th. dist,  
Land &c. same as last

- North On E. side of Sec. 24
- 6.00 Leave prairie & Enter timber
- 40.00 Set gr. sec. post from which  
a G. Oak 20 in. dia. bears S 70° E 121 th. dist,  
& a Do. 7 " " " S 45° E 135 " "
- 80.00 Set a post cor. sec. 13 & 24 from which  
a G. Oak 15 in. dia. bears N 10° E 423 th. dist,  
& a Do. 18 " " " N 3 1/2° W 416 " "  
Land level 3<sup>rd</sup> rate & timber Oak &c,

- North On E. side of Sec. 13,
- 32.00 Entered a wet prairie
- 40.00 Set gr. sec. post from which  
a G. Oak 15 in. dia. bears S 21 1/2° E 476 th. dist,  
& a Do. 10 " " " S 35° E 453 " "
- 80.00 Set post cor. sec. 12 & 13 from which  
a G. Oak 18 in. dia. bears S 33° E 700 th. dist,  
& a Do 16 " " " S 71° E 797 " "  
Land level & sec. rate. some scattering Oak,

- North On E. side of Sec. 12
- 40.00 Set gr. sec. post. in prairie  
mound to be made,
- 80.00 Set post cor. sec. 1 & 12 in prairie  
mound to be made  
Land flat 2<sup>nd</sup> rate & no timber,

- North On E. side of Sec. 1
- 40.00 Set gr. sec. post in prairie  
mound to be made



<sup>ing</sup> T. 33 N. R. 5 W. 2<sup>nd</sup> Mer. Ind<sup>o</sup>

46.00 To a stream 15 lbs. wide cr. N. W.

80.00 Set temporary Town corner,

Land R. same as last,

January 9<sup>th</sup> 1834. Surveyed by  
Sylvester Sibley, Dep. Sur,

North Boundary,

Var. 5° 38' E,

West On S. side Sec. 36 T. 34 N. R. 5 W.

8.00 Entered wet prairie

26.00 a Brook 20 lbs. wide cr. S. E.

28.00 Entered dry prairie

40.00 Set gp. sec. post from which  
a Br. Oak 20 in dia. bears N 75½ E 331 lbs.,  
no other.

80.00 Set post cor. Sec. 35 & 36 in prairie  
mound to be made  
Land rolling & prairie 1<sup>st</sup> rate. East  
of prairie 2<sup>nd</sup> rate. Timber Oak &c.

West On S. side Sec. 35 T. 34 N. R. 5 W.

40.00 Set gp. sec. post in prairie  
mound to be made

80.00 Set post cor. Sec. 34 & 35 in prairie  
mound to be made

Land rolling & first rate prairie

West On S. side Sec. 34 T. 34 N. R. 5 W.

30.00 a Br. Oak grove

40.00 Set gp. sec. post from which,  
a Br. Oak 9 in. dia. bears N 35 W 71 lbs.,  
& a Do. 12 " " " N 62 W 56 "

60.00 Entered a wet prairie

80.00 Set post cor. sec. 33 & 34 in prairie  
mound to be made

Land E. of prairie same as last

T. 33 N. R. 5 W. 3<sup>rd</sup> Mer. Ind. <sup>a</sup>

C. L. wet prairie 2<sup>nd</sup> rate. Timber Br. Oak,

Met On S. side Sec. 33 T. 34 N. R. 5 W,  
 5.50 To Crooked ck. 20 ths, wide en. S,  
 22.00 Enter dry prairie  
 40.00 Set gr. sec. post in Do, —  
                     mound to be made  
 80.00 Set post cor. Sec. 32 & 33 in prairie  
                     mound to be made,  
                     Land &c. much same as last mile,

Met On S. side Sec. 32 T. 34 N. R. 5 W,  
 40.00 Set gr. sec. post in prairie  
                     mound to be made  
 80.00 Set post cor. Sec. 31 & 32 from which  
                     a Br. Oak 10 in. dia. bears N 56 1/2° W 65.8 ths,  
                     & a Do. 8 " " " N 44 1/2° W 610 "  
                     Land &c. same as on last mile,

Met On S. side Sec. 31. T. 34 N. R. 5 W,  
 8.00 Leave prairie  
 40.00 Set gr. sec. post from which  
                     a G. Oak 30 in. dia. bears S 73° W 191 ths,  
                     & a Do. 9 " " " N 61° E 343 " dit,  
 42.50 To a Road en. at & S,  
 56.00 Enter wet prairie  
 79.00 To W. boundary 50 ths N. of temporary  
                     post. & Set post cor. Towns 33 & 34 N. Range,  
                     58° 6' W. from which  
                     a W. Oak 24 in. dia. bears N 68 1/2° W 364 ths,  
                     & a Do. 20 " " " S 79° W 356 " dit,  
                     Land level & 3<sup>rd</sup> rate Timber Oak  
                     January 17<sup>th</sup> 1834. Surveyed by  
                     Sylvester Sibley, Dep. Sur,

West Boundary,

T. 33 N. R. 5 W. 2<sup>nd</sup> Mer. Ind.<sup>a</sup>

Var. 6:55 E,

North On E. side Sec. 36 T. 33 N. R. 6 W,  
 4.00 Enter ash & willow swamp  
 23.53 a W. ash 10 in. dia,  
 40.00 " W. ash 12 " " gr. sw. cov. tree  
 43.00 Leave swamp  
 80.00 Set post cov. Sect. 25 & 36 from which  
 an Aspen 8 in. dia. bears N 85 E 353 th. dist,  
 & a Do. 8 " " " S 78 E 359 " "  
 Land level & poor S. of marsh timbered ash  
 Blue Spruce &c —

North On E. side Sec. 25, T. 33 N. R. 6 W,  
 10.00 a stream 15 lbs. wide on. W,  
 24.00 Leave marsh & timber  
 40.00 Set gr. sw. post from which  
 a Y. Oak 10 in. dia. bears S 51 W 12 th. dist,  
 & a Do. 24 " " " N 7 W 22 " "  
 46.00 Enter wet prairie  
 73.00 Leave the same  
 80.00 Set post cov. Sect. 24 & 25 from which  
 a Y. Oak 10 in. dia. bears S 73 W 107 th. dist,  
 & a Do. 6 " " " S 83 W 111 " "  
 Land level & 2<sup>nd</sup> rate. timbered Oak,

North On E. side of sec. 24 T. 33 N. R. 6 W,  
 23.00 Enter wet prairie  
 40.00 Set gr. sw. post from which  
 a Y. Oak 18 in. dia. bears S 25 W 656 th. dist,  
 no other  
 80.00 Set a post cov. Sect. 13 & 24 from which  
 a W. Oak 20 in. dia. bears N 15 W 445 th. dist,  
 & a Do. 18 " " " N 22 W 470 " "  
 Land &c. same as on last mile,

North On E. side Sec. 13 T. 33 N. R. 6 W,

*T. 33 N. R. 5 W. 2<sup>nd</sup> Mev. Ind.*

- 40.00 Set gr. sec. post from which  
 a Y. Oak 15 in. dia. bears S 74° W 151 lks. dist,  
 & a Do. 15 " " " N 48° W 155 " "
- 58.00 Leave wet prairie
- 80.00 Set post cor. sec. 12 & 13 from which  
 a W. Oak 30 in. dia. bears S 48° W 47 lks. dist,  
 & a Do. 20 " " " N 9° W 45 " "  
 Land &c. same as last,

- North On E. side Sec. 12 T. 33 N. R. 6 W.  
 15.61 a W. Oak 20 in. dia.,  
 22.04 a Y. Oak 18 " "  
 40.00 Set gr. sec. post from which  
 a Br. Oak 12 in. dia. bears S 34° W 37 lks. dist,  
 & a W. Oak 20 " " " N 21° W 30 " "  
 49.89 a Y. Oak 18 " "  
 50.00 a Road cr. N 6, 72° W,  
 70.00 Enter wet prairie  
 80.00 Set post cor. sec. 1 & 12 from which  
 a Hickory 15 in. dia. bears S 32° W 839 lks. dist,  
 & a Willow 8 " " " N 50° W 194 " "  
 Land level soil good & timber Oak

- North On E. side Sec. 1 T. 33 N. R. 6 W.  
 40.00 Set gr. sec. post from which  
 a W. Oak 10 in. dia. bears S 74° E 15.15 lks. dist,  
 & a Do. 9 " " " S 74° E 16.15 " "  
 80.00 Set post for Temporary Town Corner,  
 Land all wet prairie, level 3<sup>d</sup> rate  
 & no timber. January 18<sup>th</sup> 1834,  
 Surveyed by. Sylvester Sibley. Dep. Sur.

Subdivision.

Var. 5° 45' E.

- North Between sections 35 & 36  
 18.25 Over narrow strip of timber



up T. 33 N. R. 5 W. 2<sup>nd</sup> Mer. Ind.<sup>W</sup>

39.50 over another neck of timber  
 40.00 Set gr. sec. post from which  
     a W. Oak 15 in. dia. bears S 70 3/4 W 203 ths. dist,  
     & a R. Oak 4 " " " S 68 3/4 E 42 " "  
 74.50 Enter timber  
 75.32 a W. Oak 11 in. dia. -  
 80.00 Set post cor. sec. 25, 26, 35 & 36 from wh.  
     a B. Oak 19 in. dia. bears N 53 E 31 ths. dist,  
     & a W. Oak 21 " " " S 51 3/4 W 24 " "  
 Land 3<sup>d</sup> rate & mostly marsh,

East On Random between sec. 25 & 36  
 27.00 Enter a marsh  
 78.45 Intersect E. boundary 142 ths. N. of post  
 Land 3<sup>d</sup> rate mostly marsh timber Oak

West Correct line between sec. 25 & 36  
 39.22 Set gr. sec. post from which  
     no bearings - nor mound - in marsh  
 78.45 To sec. corner,

North Between sections 25 & 26  
 25.00 Enter marsh  
 40.00 Set gr. sec. post from which  
     an aspen 13 in. dia. bears S 88 1/2 E 447 ths.  
     no other  
 46.00 Enter a point of timber  
 51.03 a W. Oak 10 in. dia.,  
 55.00 Leave timber & Enter marsh  
 80.00 Set post cor. sec. 23, 24, 25 & 26. near timber  
     a W. Oak 21 in. dia. bears N 6 W 194 ths. dist  
     & a B. Oak 19 " " " S 81 1/2 E 232 " "  
 Land nearly level 3<sup>d</sup> rate, skirt of marsh  
 & timber, interspersed - Oak timber,

East On Random between sec. 24 & 25



T. 33 N. R. 5 W. 2<sup>nd</sup>. New. Ind.

2.50 Touch timber  
 15.00 Entered S. side of timber  
 48.00 Entered G. marsh  
 78.19 To E. boundary 147 1/4 M. N. of post,  
 Land &c. same as on last mile,

West Correct line between sec. 24 & 25

27.06 a B. Oak 15 in. dia.,

39.09 1/2 Set gr. sec. post from which  
 a B. Oak 20 in. dia. bears N 40 3/4 E 288 M. dist.,  
 & a W. Oak 18 " " " N 28 3/4 W 259 " "

53.21 a B. Oak 18 " "

78.19 To sec. corner,

North Between Sections 23 & 24 (V. 5. 50 E.)

2.00 Entered timber

2.25 a B. Oak 18 in. diam.,

4.03 " Do. 19 " "

40.00 Set gr. sec. post from which  
 a W. Oak 20 in. dia. bears N 57 1/2 W 211 M. dist.,  
 & a Do. 22 " " " N 88 3/4 E 101 " "

80.00 Set post cor. Sec. 13, 14, 23 & 24 in grub. glade  
 a W. Oak 12 in. dia. bears N 12 3/4 W 219 M. dist.,  
 & a Do. 13 " " " N 39 E 254 M. dist.

Land a little rolling 3<sup>d</sup> rate. Timber is  
 scattering Oak & some Hickory at N. end  
 but pretty well interspersed with grubs.

East On Random between sec. 13 & 24

26.00 Entered wet prairie

77.84 Intersect E. boundary 231 M. N. of post  
 Land N 1/2 stool grub glade balance  
 wet prairie all 3<sup>d</sup> rate land

West Correct line between sec. 13 & 24

38.92 Set gr. sec. post from which

T. 33 N. R. 5 W. 2<sup>nd</sup> Mer. Ind. a.

C. L. a Red Oak 23 in. dia, bears N 29 W 494 th. dia,  
being a lone tree -  
77.84 To the sec. corner, June 22<sup>nd</sup> 183<sup>rd</sup>,

North Between sections 13 & 14 Var. 6<sup>th</sup> E,  
20.00 Enter prairie  
40.00 Set gr. sec. post from which  
a Hickory 18 in. dia, bears N 74<sup>th</sup> W 420 th.,  
& a Br. Oak 16 " " " North 592 " dia,  
45.92 a Br. Oak 16 " "  
80.00 Set post cor. sec. 11, 12, 13 & 14  
where raise a mound,  
Land level & 3<sup>rd</sup> rate, mostly prairie  
Timber scattering Oak & Hickory,

East On Random between sec. 12 & 13,  
77.60 Intersect E. boundary 231 th. et. of post  
I can't keep from converging to this line it seems  
Land level & 3<sup>rd</sup> rate prairie

West Correct line between sec. 12 & 13,  
38.80 Set gr. sec. post. & Raise a mound  
77.60 To the sec. corner,

North Between sections 11 & 12  
40.00 Set gr. sec. post & Raise mound  
80.00 Set post cor. sec. 1, 2, 11 & 12 in prairie  
where raise a mound  
Land level perhaps 2<sup>nd</sup> rate prairie

East On Random between sec. 1 & 12  
77.66 To E. boundary 282 th. et. of post  
Land level 3<sup>rd</sup> rate prairie. E & wet

West Correct line between sec. 1 & 12  
38.83 Set gr. sec. post - Raise a mound.

T. 33 N. R. 5 W. 2<sup>nd</sup> Mer. Ind.

77.60 To the Sec. corner,

North Between sections 1 &amp; 2,

40.00 Set gr. sec. post. &amp; Raise a mound

81.45 Intersect N. boundary 159 th. E. of post  
where set post cor. Sec. 1 & 2 in prairie  
where raise a moundLand level & 3<sup>d</sup> rate prairie,June 23<sup>d</sup> 1835, —

North Between sections 34 &amp; 35

40.00 Set gr. sec. post. in ice & water 2 ft deep  
no bearings, nor mound80.00 Set post cor. Sec. 26, 27, 34 & 35 in ice  
& water 2 feet deep. no bearings  
no timber & of course can't describe it,

East On Random between Sec. 26 &amp; 35

20.00 Leave big marsh & enter scattering timber  
of aspen & Oak &c78.96 Intersect E. line of Sec. 128 th. E. of  
post. — Land level 3<sup>d</sup> rate aspen Oak,

West Correct line between Sec. 26 &amp; 35

3.98 a W. Oak 24 in. dia.

39.48 Set gr. sec. post. from which

a W. Oak 10 in. dia. bears N 52 E 194 th. dist,

La Do. 8 " " " N 46 E 136 " "

78.96 To the Sec. corner,

North Between sections 26 &amp; 27

40.00 Set gr. sec. post. in ice,

80.00 Set post corner to sec. 22, 23, 26 &amp; 27

a W. Oak 22 in. dia. bears N 41 W 95 th. dist,

La Do. 24 " " " S 60 W 91 " "

Land level 3<sup>d</sup> rate wet & marshy —

T. 33 N. R. 5 W. 2<sup>nd</sup> Mer. Ind.<sup>a</sup>

East On Random between sec. 26 & 23,  
 55.00 To some scattering timber.  
 78.85 To E. line of Sec. 100 th. N. of post  
 Land &c. same as on last mile,

West Correct line between Sec. 23 & 26  
 39.42 Set q. sec. post. bearing on point of grove  
 a W. Oak 24 in dia. bears N 49 W 617 th. dist,  
 78.85 To Sec. corner,

North Between sections 22 & 23,  
 4.00 Enter timber  
 6.37 a W. Oak 22 in dia.,  
 40.00 Set q. sec. post from which  
 a R. Oak 24 in dia. bears N 39 W 46 th. dist  
 & a Do. 20 " " " S 39 E 169 "  
 55.00 Enter a marsh  
 80.00 Set post cor. Sec. 14, 15, 22 & 23  
 a R. Oak 20 in dia. bears N 36 E 627 th. dist,  
 no other,  
 Land level 3<sup>rd</sup> rate & timbered Oak &c,

East On Random between sec. 14 & 23,  
 60.00 Enter stub grass  
 78.91 To E. line of Sec. 83 th. et. of post,  
 Land level nearly dry & 3<sup>rd</sup> rate  
 Stub grass on E. end. & some scattering  
 trees along the line,

West Correct line between sec. 14 & 23.  
 39.65 Set q. sec. post from which  
 a Red Oak 20 in dia. bears S 87 E 1212 th.,  
 79.81 To the Sec. corner, Jan'y 24<sup>th</sup> 1885.

North Between sections 14 & 15  
 11.00 Enter scattering timber.



T. 33 N. R. 5 W. 2<sup>nd</sup> New. Ind.

- 38.30 To a Blk. Oak 18 in. dia.,  
 40.00 Set gr. sec. post from which,  
 a W. Oak 18 in. dia., bears N 52 W 52 M.,  
 & a Do. 12 " " " N 11 E 68 "  
 50.62 a Br. Oak 16 " "  
 64.50 Enter prairie partly dry  
 80.00 Set post cor. sec. 10, 11, 14 & 15 from which  
 a B. Oak 18 in. dia., bears N 28 E 58.3 M., dia.  
 & a Br. Oak 16 " " " S 5 E 10.89 " "  
 Land level mostly dry & ac. rate &  
 the timber is Oak & Hickory

East On Random between sec. 11 & 14  
 78.61 To the E. line of Sec. 53 M. N. of post  
 Land level & 2<sup>nd</sup> rate & prairie rather wet

West Correct line between sec. 11 & 14  
 39.30 Set gr. sec. post & Raise mound  
 78.61 To the sec. corner,

North Between sections 10 & 11  
 7.00 Leave prairie & enter prairie edge of timber.  
 40.00 Set gr. sec. post from which  
 a Br. Oak 18 in. dia., bears S 24 W 170 M., dia.  
 & a B. Oak 16 " " " S 56 W 27.8 " "  
 80.00 Set post cor. sec. 2, 3, 10 & 11 in prairie  
 where raise a mound  
 S. sec. corner, in prairie -  
 Land level & 2<sup>nd</sup> rate timbered Oak Hickory.

East On Random between sec. 2 & 11  
 78.00 Intersect E. line of Sec. 125 M. N. of post  
 Land level & 3<sup>rd</sup> rate prairie

West Correct line between sec. 2 & 11  
 39.00 Set gr. sec. post & Raise mound



<sup>by</sup> T. 33 N. R. 5 W. 2<sup>nd</sup> Mer. Ind.

78.00 <sup>in wet place</sup> To the Sec. corner,

North Between sections 27 & 3

40.00 Set gr. sec. post from which in prairie  
where raise a mound

81.79 Intersect N. boundary 396 lks. E. of post  
where set post cor. Sec. 27 & 3 in prairie  
where raise a mound

Land level dry separate prairie

January 25<sup>th</sup> 1835, -

North Between sections 33 & 34

40.00 Set gr. sec. post in deep water & ice,

80.00 Set post cor. Sec. 33, 28, 33 & 34. in water  
& ice deep. no land nor timber

East On Random between Sec. 27 & 34

79.70 To E. line of Sec. 81 lks. N. of post,  
Land all ice & water -

West Correct line between Sec. 27 & 34

39.85 Set gr. sec. post in marsh, no bound

79.70 To Sec. corner,

North Between sections 27 & 28,

40.00 Set gr. sec. post in water 2 ft. deep

75.00 To willow & aspen thicket

80.00 Set post cor. Sec. 21, 22, 27 & 28 from wh.  
a Willow 6 in. dia. bears N 42 E 72 lks. dist  
& a Do. 8 " " " S 5 1/2 W 146 " "

Land all ice & water -

East On Random between Sec. 22 & 27

32.00 Enter S. side of grove

79.53 To E. line of Sec. 92 lks. N. of post

Land level 3<sup>rd</sup> rate & timber Oak &c

229

T. 33 N. R. 5 W. 2<sup>nd</sup> Sec. Ind?

West Correct line between Sec. 22 & 27  
 6.89 To a B. Oak 19 in. dia.  
 39.76 $\frac{1}{2}$  Set gr. sec. post from which  
 a B. Oak 18 in. dia. bears N 66 E 32 lbs. dist.  
 & a Do. 20 " " " S 39 W 11 " "  
 79.53 To the Sec. corner,

North Between sections 21 & 22  
 35.00 Leave willow swamp  
 40.00 Set gr. sec. post, on W. side of small grove  
 a W. Oak 18 in. dia. bears S 47 E 233 lbs.  
 & a Do. 22 " " " S 60 E 234 $\frac{1}{2}$  "  
 44.00 Willows thick as ever.  
 80.00 Leave Do. & set post cor. Sec. 15, 16, 21 & 22.  
<sup>bearing on point of grove,</sup>  
 a B. Oak 24 in. dia. bears S 56 E 6702 lbs. dist.  
 Land a willow alder & aspen swamp

East On Random between Sec. 15 & 22,  
 79.50 To the E. line of sec. 94 lbs. N. of post  
 Land wet marshy & thin rate & the  
 timber here & there in groves of Oak

West Correct line between Sec. 15 & 22  
 39.75 Set gr. sec. post in water & ice,  
 79.50 To the Sec. corner, Jan. 26<sup>th</sup> 1835,

North Between sections 15 & 16  
 40.00 Set gr. sec. post on S. side of grove,  
 a Hickory 18 in. dia. bears S 63 W 37 lbs. dist.  
 & a B. Oak 24 " " " N 75 E 145 " "  
 57.01 To a Hickory 18 " " & leave grove  
 80.00 Set post cor. to Sec. 9, 10, 15 & 16 in ice  
 2 feet deep. Land 3<sup>d</sup> rate Willow aspen  
 & on grove Oak & Hickory &

East On Random between Sec. 10 & 15.

by T. 33 N. R. 5 W. 2<sup>nd</sup> Mer. Ind.<sup>a</sup>

7.00 Leave pond on mark of Crooked ck.  
 37.00 Enter prairie wet  
 47.00 Leave do. "  
 70.00 Enter prairie  
 79.70 To E. boundary of sec. 48 1/2 M. N. of post.  
 Land level 3<sup>rd</sup> rate mostly dry, Timber  
 Oak & Hickory &c

West Correct line between sec. 9 & 15  
 39.85 Set gr. sec. post from which  
 a Br. Oak 18 in. dia. bears N 12 W 176 M.  
 & a Bl. Oak 20 " " " S 44 W 156 in. dia.  
 66.00 a B. Oak 18 " "  
 79.70 To the Sec. corner

North Between sections 9 & 10  
 40.00 Set gr. sec. post in water no bearings  
 80.00 Set post cor. sec. 3, 4, 9 & 10 from which  
 an aspen 18 in. dia. bears S 55 E 104 1/2 M. dia.  
 & a B. Oak 10 " " " N 45 E inaccessible  
 corner in deep water & ice.  
 Land mostly covered with ice & water  
 miserable to get through as Crooked ck.  
 is high & ice too rotten to bear. E. of line  
 dry Oak land &c

East On Random between sections 3 & 10  
 12.00 Enter timber  
 60.00 " dry prairie  
 79.75 Intersect E. line of sec. 50 1/2 M. N. of post.  
 Land level & third rate Timb. Oak & Hickory,

West Correct line between sec. 3 & 10  
 39.8 1/2 Set gr. sec. post from which  
 a Br. Oak 18 in. dia. bears S 7 E 44 M. dia.  
 & a Do. 16 " " " N 50 W 24 " "

231

33 N. - W. 5 W. 2<sup>nd</sup> Mer. Indiana.

79.75 To Sec. corner,

North Between sections 34 & 4

7.00 Came to impassable borders of Crooked  
ck. Offset E. 1000 - N. 33.00 -

40.00 Dr. sec. cor. inaccessible

Offset cont? N. 37.00 - W. 10.00 to line,

77.00 Over thunder!

81.63 To the N. boundary 151 M. E. of post,  
where set post, cor. Sec. 34 -  
no bearings & too wet to raise a mound  
This line lies principally in the willow  
thicket which here skirts Crooked ck.  
Impassable here. January 27<sup>th</sup> 1835.

North Between sections 32 & 33

40.00 Set gr. sec. post from which  
a Willow 3 in dia. bears S 12 $\frac{3}{4}$  E 244 M. N. 1/2  
Sta B. Gun 9 " " " N 1/2 E 373 " "

45.00 Enter scattered waters of Crooked creek

80.00 Set post cor. sec. 28. 29. 32 & 33 in water  
& broken ice. No bearings  
Land all a thundering marsh set  
with a few scattering willows -

East On Random between Sec. 28 & 33

80.02 Intersect E. line of Sec. 41 M. N. of post  
Land all marsh & Crooked creek

West Correct line between Sec. 28 & 33,

40.07 Set gr. sec. post, in marsh

80.02 To Sec. corner,

North Between sections 28 & 29

40.00 Set gr. sec. post in creek & marsh

80.00 Set post cor. Sec. 20. 21. 28 & 29



33 N. R. 5 W. 2<sup>nd</sup> Nov. Ind<sup>a</sup>

6. L. a B. Oak 16 in. dia. bears  $S 11 \frac{1}{2}^{\circ} W 255$  lks. dist.  
a chance tree - no other  
Land all covered with brooked creek

East On Random between sec. 21 & 28,  
10.00 Entered willow thicket & brooked creek  
79.98 Intersect E. line of sec. 86 lks. E. of post  
Land all a miserable thicket covered  
with water from brooked creek

West Correct the line between sec. 21 & 28  
39.99 Set of sec. post - no bearings  
79.98 To the section corner,

North Between sections 20 & 21  
3.00 Enter brooked creek again  
39.00 Got I believe finally over it. Thunder!  
what a place of broken ice & water,  
40.00 Set of sec. post from which  
a Red Oak 18 in. dia. bears  $N 71^{\circ} W 335$  lks. dist.  
60.00 Entered a point of timber  
63.39 a W. Oak 20 in. dia.  
63.99 " " 18 " "  
65.50 " B. Oak 21 " "  
80.00 Set post cor. sec. 16, 17, 20 & 21 from which  
a B. Oak 12 in. dia. bears  $S 36^{\circ} W 168$  lks. dist.  
a Dr. 10 " " "  $N 42^{\circ} E 287$  " "  
Land level & third rate. mostly crooked  
creek & marsh. timber on it & scattering oak,

East On Random between sec. 16 & 21  
19.00 Entered crooked creek marsh  
30.00 " Willow, Blk. Alder & aspen thicket  
38.00 Leave the thicket  
42.20 To creek 40 lks. wide it here has a channel  
79.00 " another prong of brooked creek  
79.86 " the E. line of sec. 150 lks. E. of post



233

<sup>up</sup> S. 33 N. - R. 5 W. 2<sup>nd</sup> Mer. Ind<sup>4</sup>

C. L. Land nearly all marsh & crooked ck,  
& willow aspen & B. Alder,

West Correct line between sec. 16 & 21  
39.98 Set g<sup>r</sup>. sec. post from which  
a Willow 12 in dia. bears N 67 $\frac{3}{4}$  E 378 lbs. dia,  
this tree is over crooked creek. no other,  
79.86 To the sec. corner, January 28<sup>th</sup> -

North Between sections 16 & 19  
40.00 Set g<sup>r</sup>. sec. post from which  
a Red Oak 5 in dia. bears S 46 $\frac{3}{4}$  W 82 lbs.  
& a Do. 6 " " " N 11 $\frac{3}{4}$  E 84 "  
65.00 Entered E. side of a wet drain from the  
margin of prairie. called Morgan's prairie  
80.00 Set a post cor. sec. 8, 9, 16 & 19 from which  
a B. Oak 18 in dia. bears S 89 E 147 lbs. dia,  
& a Do. 18 " " " N 73 $\frac{3}{4}$  E 152 " "  
Level land 3<sup>rd</sup> rate. timber scattering  
Oak & stool growths,

East On Random between sec. 9 & 16  
39.00 Entered crooked creek  
50.00 Come to deepest place or channel  
57.00 To muskrat houses  
79.92 Intersect E. line of sec. 11/6 (line N. of post),  
Land W.  $\frac{1}{2}$  dry prairie 2<sup>nd</sup> rate  
Balance crooked creek,

West Correct line between sec. 9 & 16  
39.96 Set g<sup>r</sup>. sec. post in water too deep to raise  
a mound - no bearings  
79.92 To the sec. corner,

North Between sections 8 & 9  
40.00 Set g<sup>r</sup>. sec. post from which

T. 33 N. R. 5 W. 2<sup>nd</sup> Mer. Ind.<sup>a</sup>

6. L. a Br. Oak 12 in. dia. bears N 21 1/4 E 139 lbs. high  
 & Do. 8 " " " N 2 W 331 " "  
 41.00 Entered margin's prairie  
 80.00 Set post cor. sec. 4, 5, 8 & 9 in prairie  
 where raise a mound,  
 Land level & 2<sup>nd</sup> rate, some scattering  
 scrubby Br. Oak on S. E —

East On Random between sec. 4 & 9  
 70.00 To Crooked creek 70 lbs. wide cor. S,  
 80.06 Intersect E. line of sec. 170 lbs. E. of post,  
 Land W. 50 chains dry & 2<sup>nd</sup> rate prairie  
 Ballance Crooked creek & marsh

West Correct line between sec. 4 & 9  
 40.03 Set q<sup>r</sup>. sec. post & Raise a mound  
 80.06 To the sec. corner,

North Between sections 4 & 5  
 40.00 Set q<sup>r</sup>. sec. post & Raise a mound  
 81.29 Intersect N. boundary 39 (or 329) lbs.,  
 East of post. & Set post cor. sec. 4 & 5  
 where raise a mound  
 Land level & 2<sup>nd</sup> rate prairie  
 Thursday Jan. 29-1835

North Between sections 31 & 32  
 40.00 Set q<sup>r</sup>. sec. post in marsh  
 80.00 Set post cor. sec. 29, 30, 31 & 32  
 in water & ice - no bearings -  
 Land the grand marsh where  
 Crooked creek is entirely lost  
 some small willows along it,

East On Random between sec. 29 & 32  
 79.98 Intersect E. line of sec. 92 lbs. N. of post.

C. L. Land all snow water & ice,

West Correct line between sec. 29 & 32  
39.99 Set gp. sec. post in marsh  
79.98 To the sec. corner,

West On Random between sec. 30 & 31  
80.56 Intersect W. boundary 42 lbs. S. of post  
Land &c. same as on last mile,

East Correct line between sec. 30 & 31  
40.56 Set gp. sec. post in marsh  
80.56 To the sec. corner,

North Between sections 29 & 30  
40.00 Set gp. sec. post in marsh  
80.00 Set post cor. sec. 19.20.29 & 30  
in ice & snow water. no bearings  
Land same as last,

East On Random between sec. 20 & 29  
80.08 To the E. line of sec. 68 lbs. N. of post  
Land &c. same as on last

West Correct line between sec. 20 & 29  
40.04 Set gp. sec. post in marsh  
80.08 To the sec. corner,

West On Random between sec. 19 & 30  
60.00 Enter scattering timber  
80.93 Intersect W. boundary 67 lbs. S. of post  
a R. Oak 20 in dia. bears S 61 7/8 E 93 lbs. dist.  
La Do. 6 " " " N 57 E 137 " "  
Land 3<sup>rd</sup> rate & nearly all marsh covered  
with water & floating ice —  
note See correction at end of subdivision —

<sup>up</sup> T. 33 N. R. 5 W. 2<sup>nd</sup> Mer. Ind.<sup>a</sup>

North Between sections 19 & 20

23.00 Leave grand marsh & Enter timber

23.64 a B. Oak 12 in. dia.

24.50 Enter prong of G. marsh

34.00 Leave the " " Do.

40.00 Set gr. sec. post from which

a B. Oak 2 in. dia. bears S 39 E 44 1/4 M. dist.

& a W. Oak 20 " " " S 59 W 29 " "

44.45 a W. Oak 24 " "

45.00 Enter prairie marsh

75.00 Leave " " Do. very cold weather

80.00 Set post cor. sec. 17, 18, 19 & 20 from which

a B. Oak 12 in. dia. bears S 81 E 79 M. dist.

& a Do. 23 " " " S 22 1/2 W 60 " "

Land level & 3<sup>d</sup> rate & timber Oak &

East On Random between sec. 17 & 20

80.20 Intersect E. line of sec. 150 M. N. of post

Land level & 3<sup>d</sup> rate, Timber scat. Oak,

West Correct line between sec. 17 & 20

40.10 Set gr. sec. post from which

a B. Oak 19 in. dia. bears N 12 E 23 1/4 M. dist.

& a Do. 20 " " " S 1 1/4 W 41 " "

80.20 To the sec. corner,

West On Random between sec. 18 & 19

70.00 Entered a marsh

81.05 To the W. boundary 95 M. S. of post

Land level 3<sup>d</sup> rate timber Oak. Hickory  
& stool grubs all scattering.

East Correct line between sec. 18 & 19

35.13 a W. Oak 15 in. dia.

41.05 Set gr. sec. post from which

a W. Oak 22 in. dia. bears S 26 W 26 M.



up  
 T, 33 N. - R. 5 W. 2<sup>nd</sup> New Ind.

6.00 L & a W. Oak 18 in. dia. bears N 39 $\frac{1}{2}$  W 43 $\frac{1}{2}$  M. Dist.  
 49.66 a B. Oak 20 " "  
 81.05 To sec. corner, January 30<sup>th</sup> 1835.

North Between sections 17 & 18,

40.00 Set gr. sec. post from which  
 a B. Oak 24 in. dia. bears North 4 M. Dist.  
 & a W. Oak 6 " " " S 28 $\frac{1}{2}$  E 24 " "  
 49.78 a B. Oak 16 " "  
 68.50 a Br. Oak 10 " "  
 80.00 Set post cor. sec. 7, 8, 17 & 18 from which  
 a B. Oak 24 in. dia. bears North 12 M. Dist.  
 & a Do. 20 " " " S 66 $\frac{1}{2}$  E 131 $\frac{1}{2}$  " "  
 Land level & 3<sup>d</sup> rate. Timber scattering  
 scrubby Oak & Hickory &

East On Random between sec. 8 & 17

70.00 Entered a prairie marsh  
 80.35 Intersect E. line of sec. 152 M. N. of post  
 Land level & sec. rate rate, Timber same

West Correct line between sec. 8 & 17

40.17 $\frac{1}{2}$  Set gr. sec. post from which  
 a Br. Oak 20 in. dia. bears N 25 $\frac{1}{2}$  E 91 M.  
 & a Do. 18 " " " S 59 $\frac{1}{2}$  W 30 "  
 49.00 a Br. Oak 10 " " -  
 80.35 Section corner,

West On Random between sec. 7 & 18,

15.00 Entered a marsh  
 52.00 Leave the Do. cr. N & S,  
 81.63 Intersect W. boundary 98 M. S. of post  
 a W. Oak 24 in. dia. bears S 79 $\frac{1}{2}$  E 102 M. Dist.  
 & a Hickory 18 " " " N 52 $\frac{1}{2}$  E 136 " "  
 Land 3<sup>d</sup> rate & timber same as last



T. 33 N. R. 5 W. 2<sup>nd</sup> Mer. Ind.<sup>a</sup>

East Correct line between sec. 7 & 18,  
41.63 Set gr. sec. post in marsh  
81.63 Sec. corner. — no bearings

North Between sections 7 & 8  
8.00 Enter marsh.  
25.00 " scattering timber  
40.00 Set gr. sec. post from which  
a Br. Oak 12 in. dia. bears S 11 W 82 1/2 1/2 1/2  
+ a " Do. 10 " " " S 46 E 131 " "  
80.00 Set a post corner, 5, 6, 7 & 8, from which  
a Br. Oak 6 in. dia. bears N 35 1/2 W 96 1/2  
+ a Do. 18 " " " S 75 W 28 9 " 1/2  
Land level sec. rate, E. of line prairie

East On Random between sec. 5 & 8,  
4.00 Enter Morgan's prairie  
80.40 Intersect E. line of sec. 15 8 1/2 1/2 1/2  
Land level & sec. rate prairie,

West Correct line between sec. 5 & 8,  
40.20 Set gr. sec. post, in prairie  
where raise a mound  
80.40 To the sec. corner.

West On Random between sec. 6 & 7  
38.50 Wagon Road from Michigan City to Lafayette  
75.00 Enter a marsh  
81.84 To W. boundary 76 1/2 1/2 1/2  
a Br. Oak 12 in. dia. bears S 77 E 50 9 1/2 1/2  
+ a Br. Oak 20 " " " N 81 1/2 E 62 3 " "  
Land level good 2<sup>nd</sup> rate. Timber Oak &

East Correct line between sec. 6 & 7  
4.00 a W. Oak 6 in. dia. —  
41.84 Set gr. sec. post from which  
a W. Oak 12 in. dia. bears N 42 W 46 1/2 1/2 1/2

<sup>wp</sup> T. 33 N. R. 5 W. 2<sup>nd</sup>. Mer. Ind.

C. L. La Br. Oak — bears S 14<sup>1</sup>/<sub>2</sub>° W 55<sup>1</sup>/<sub>2</sub> lks. dist.  
81.84 To sec. corner,

North Between sections 5 & 6,

26.50 To a Dwelling house

40.00 Set of sec. post from which

a Br. Oak 12 in. dia. bears S 39° W 9<sup>1</sup>/<sub>4</sub> lks. dist.

& a Do. 6 " " " N 24<sup>1</sup>/<sub>2</sub>° W 11<sup>1</sup>/<sub>2</sub> " "

68.00 To Waggon road from N. c. to Lafayette

80.76 Intersect st. boundary 313 lks. E. of post  
where set post cor. sec. 5 & 6.

where raise a mound,

January 31<sup>st</sup> 1835. — Jas. Smith D. S.

I hereby certify that in pursuance of  
a contract with Micajah T. Williams  
Surveyor General of the United States  
for the states of Ohio Indiana & Territory  
of Michigan dated 19<sup>th</sup> of March 1834  
& in strict conformity to the laws of  
the United States & the instructions of  
said Surveyor General, I have surveyed  
& subdivided into sections, Township 33 N.  
Range 5 W. 2<sup>nd</sup> Meridians in the state  
of Indiana. & I do further certify that  
the foregoing are the true & original  
field notes of said survey & subdivision  
executed as aforesaid.

Certified this 31<sup>st</sup> day of January  
1835.

Jas. Smith. Dep. Sur.  
Stansberry Long 3  
Miriam Bapett 3 Chainmen  
George Walbridge. Marker.

T. 33 N. R. 5 W. 2<sup>nd</sup> Mer. Ind.<sup>a</sup>

The following line was omitted in its proper place through mistake [i.e. carelessness.]

East Correct line between sec. 19 & 30.

16. 33 a W. Oak 9 in. diam.

40. 93 Set of sec. post in marsh no bearings

80. 93 To sec. corner.

I certify that the foregoing transcript of field notes of Township 33 North - Range 5 West 2<sup>nd</sup> Mer. in the state of Indiana, has been compared with the original in this office and found to be correct.

William Johnston  
Sur. Genl.

Surveyor General's office,  
Cincinnati, Sept. 28<sup>th</sup> 1842.